

Risk Assessment

ASSESSMENT

LOCATION

ASSESSMENT DATE

GENERAL RISK RATING

ASSESSED BY

REVIEWED BY

Who	Severity Rating	Likelihood
A – Volunteers & Staff	1 – Minor Injury	1 – Very Unlikely
P – Public	2 – First Aid Needed	2 – Less Likely Than Not
B – Both	3 – Three Day Injury	3 – 50:50
	4 – Serious Disability	4 – More Likely Than Not
	5 – Death	5 – Almost Inevitable.

Content

Project Management	1
Environmental Conditions	2
Vehicles and Pedestrians	3
Park Users	4
Virus, Infections and Injuries	5

Hazard & Effect	Who	Risk Levels			Minimising Risk By	Remedial Actions	Managed Risk		
		S	L	R			S	L	R
Project Management									

Hazard & Effect	Who	Risk Levels			Minimising Risk By	Remedial Actions	Managed Risk		
		S	L	R			S	L	R
Environmental Conditions									

Hazard & Effect	Who	Risk Levels			Minimising Risk By	Remedial Actions	Managed Risk		
		S	L	R			S	L	R
Vehicles and Pedestrians									

Hazard & Effect	Who	Risk Levels			Minimising Risk By	Remedial Actions	Managed Risk		
		S	L	R			S	L	R
Park Users									

Hazard & Effect	Who	Risk Levels			Minimising Risk By	Remedial Actions	Managed Risk		
		S	L	R			S	L	R
Virus, Infections, and Injuries									

Notes:

Defibrillator locations

- External west wall of the Bowling Club Pavilions
- Colne and Nelson Rugby Club Holt House

Emergency Pick UP Points

Alkincoates Car Park - BB8 9QQ. Bowling Greens Entrance, Bancroft Street - BB8 9PZ. Holt House Rugby Club Car Park - BB8 9SF

Local Hospital and Treatment Centres

- **Accident and Emergency Unit** - Royal Blackburn Hospital, Haslingden Road, Blackburn BB2 3HH
Tel 01254 263555 (Approximately 20 miles, 23 minutes)
- **Accident and Emergency Unit** - Airedale General Hospital, Skipton Road, Steeton, Keighley, West Yorkshire BD20 6TD
Tel 01535 652511 (Approximately 10.6miles, 25 minutes)
- **Urgent Care Centre** - Burnley General Hospital, Casterton Avenue Burnley BB10 2PQ
Tel: 01282 425071 (Approximately 5.2miles, 15 minutes)

CCTV Operating by Colne Town Council around the Alkincoates Pavilion and Tennis Courts (Subject to Data Protection Restrictions)

I agree to adhere to all aspects of this risk assessment that are applicable to the management of this project:

Signed: _____ *(To be signed by the person responsible for managing and delivering the project)*

Date: